


Compatible Notification Appliances and Releasing Devices



1.0 FIKE NOTIFICATION APPLIANCE CIRCUITS

The Fike control panel and addressable audible modules are designed to be compatible with standard polarity reversal notification appliances rated 16-33V DC. Fike panels will, for the most part, have compatibility with other 16-33V DC rated NAC devices from the same manufacturers listed.

Most Fike control panel notification outputs and the addressable module outputs are both rated at 2.0 amps (24V DC) maximum per circuit (refer to the actual control panel manual specification sections for ratings).

There are a few devices listed in this document shown as a 120VAC device. These devices would not be connected to the Fike NAC circuit. These should be powered by a 120VAC circuit and supervised accordingly.

Some Authorities Having Jurisdiction (AHJ) may require voltage drop calculations for each device. Fike recommends to determine the worst case maximum wire resistance. This resistance shall comply with the following limits (determine the amount of current flowing through the circuit, then find the corresponding maximum resistance allowed):

Sections 1.1-1.3 indicate the notification appliances that Fike has chosen to offer with our standard product line. Specification information for each device is not listed in this manual. Please reference the data sheet and/or the installation instruction for the individual module specifications.

Max. Current	0.1	0.2	0.3	0.4	0.5	0.6	0.8	1.0	1.5	2.0
Max. Ohms	24	12	8	6	4.8	4.0	3.0	2.4	1.6	1.2

1.1 WHEELOCK NOTIFICATION APPLIANCES

Many of Fike control panel notification appliance circuits allow a modulated (pulsed) output. The modulation is intended for a horn circuit only (see below for which devices allow modulation). Strobe circuits require continuous power. Never supply a strobe circuit with a modulated output.

Fike P/N	MFG Model	Description	Sync	Modulation	
Strobes, Wall Mount					
20-091-SA	RSS-241575W-FR	Strobe, 15/75 Cd Low Current, Red	2	Yes	N/A
20-125-RSS-24MCW	RSS-24MCW-FR	MultiCd Strobe, 15/30/75/110 Cd	2	Yes	N/A
Weather Resistant					
20-125-RSSWP-2475W	RSSWP-2475-FR	Outdoor Strobe 75 Cd	2	Yes	N/A
20-112	WPSBB	Weather proof backbox		N/A	N/A
Horns					
20-102	MT-12/24-R	Multitone Selectable sound		No	Yes
20-117	NH-12/24-R	Cont or Code 3 output Wall or Ceiling		No	No
Horn/Strobe					
20-125-MT-241575W	MT-241575W-FR	Multi-tone horn w/15/75 Cd strobe	3	Strobe only	Yes
20-125-AS-24MCW	AS-24MCW-FR	Cont or Code 3 Horn w/MultiCd Strobe	4	Yes	No
20-106A	AS241575W-FR	" " w/15/75 Cd Strobe	4	Yes	No
20-118	NS-241575W-FR	" " w/15/75 Cd Strobe	5	Yes	No
Weather Resistant					
20-122-01	MTWP-2475W-FR	Weatherproof Multitone w/75Cd Strb	3	Strobe only	Yes
Sync Modules					
20-109	SM-12/24	Single Circuit Sync Module			
20-119	DSM-12/24	Dual Circuit Sync Module			
Agent Label		Each device requires 2 labels			
02-3977		3" Horizontal "AGENT"			
02-4356		3" Vertical "AGENT"			
02-3976		3" Vertical "AGENT"			
02-4341		2" Vertical "AGENT"			
02-3870		3" Horizontal "FM200"			

Notes

- 2 Use label 02-3977 or 02-3870
- 3 Use "AGENT" label 02-4356
- 4 Use "AGENT" label 02-3976
- 5 Use "AGENT" label 02-4341

1.2 GENTEX NOTIFICATION APPLIANCES

All Gentex Strobes noted are Syncable using the Gentex Sync module or a Fike notification circuit that has the sync protocol built-in.

Many of Fike control panel notification appliance circuits allow a modulated (pulsed) output. **All Gentex Horns noted below will work with Fike's Modulated (pulsing voltage) outputs.** The modulation is intended for a horn circuit only (see below for which devices allow modulation). Strobe circuits require continuous power. Never supply a strobe circuit with a modulated output.

Fike P/N	MFG P/N	Description
----------	---------	-------------

Commander 2 (GES) Series Strobes

20-124-15WR	904-1165-002	Wall Mount 15 Cd Red w/White Lettering
20-124-15WW	904-1185-002	Wall Mount 15 Cd White w/Red Lettering
20-123-10	904-1166-002	Wall Mount 15 Cd Red w/No Lettering
20-123-11	904-1186-002	Wall Mount 15 Cd White w/No Lettering
20-124-30WR	904-1169-002	Wall Mount 30 Cd Red w/White Lettering
20-124-30WW	904-1189-002	Wall Mount 30 Cd White w/Red Lettering
20-123-12	904-1170-002	Wall Mount 30 Cd Red w/No Lettering
20-123-13	904-1190-002	Wall Mount 30 Cd White w/No Lettering
20-124-60WR	904-1173-002	Wall Mount 60 Cd Red w/White Lettering
20-123-14	904-1193-002	Wall Mount 60 Cd White w/Red Lettering
20-123-15	904-1174-002	Wall Mount 60 Cd Red w/No Lettering
20-123-16	904-1194-002	Wall Mount 60 Cd White w/No Lettering
20-124-75WR	904-1175-002	Wall Mount 75 Cd Red w/White Lettering
20-124-75WW	904-1195-002	Wall Mount 75 Cd White w/Red Lettering
20-123-17	904-1176-002	Wall Mount 75 Cd Red w/No Lettering
20-123-18	904-1196-002	Wall Mount 75 Cd White w/No Lettering
20-124-110WR	904-1179-002	Wall Mount 110 Cd Red w/No Lettering
20-124-110WW	904-1199-002	Wall Mount 110 Cd White w/No Lettering
20-123-19	904-1180-002	Wall Mount 110 Cd Red w/No Lettering
20-123-20	904-1200-002	Wall Mount 110 Cd White w/No Lettering
20-124-15-75-WR	904-1167-002	Wall Mount 15/75 Cd Red w/White Lettering
20-124-15-75WW	904-1187-002	Wall Mount 15/75 Cd White w/Red Lettering
20-123-21	904-1168-002	Wall Mount 15/75 Cd Red w/No Lettering
20-123-22	904-1188-002	Wall Mount 15/75 Cd White w/No Lettering
20-123-23	904-1183-002	Wall Mount 177 Cd Red w/White Lettering
20-123-24	904-1203-002	Wall Mount 177 Cd White w/Red Lettering
20-123-25	904-1184-002	Wall Mount 177 Cd Red w/No Lettering
20-123-26	904-1204-002	Wall Mount 177 Cd White w/No Lettering

Weather Resistant, WGE Series (Includes GOE enclosure)

20-123-04	904-1219-002	Weatherproof Wall Mount 75 Cd Red w/White Lettering
20-123-05	904-1220-002	Weatherproof Wall Mount 75 Cd White w/Red Lettering

Commander 2, GEH Series Horns, Wall or Ceiling Mount

20-123-27	904-1205-002	Wall/Ceiling Mount Horn Red
20-123-28	904-1207-002	Wall/Ceiling Mount Horn White

Fike P/N	MFG P/N	Description
----------	---------	-------------

Commander 2, GEC Series Horn/Strobes

20-123-15WR	904-1125-002	Wall Mount 15 Cd Horn/Strobe Red w/White Lettering
20-123-15WW	904-1145-002	Wall Mount 15 Cd Horn/Strobe White w/Red Lettering
20-123-29	904-1126-002	Wall Mount 15 Cd Horn/Strobe Red w/No Lettering
20-123-30	904-1146-002	Wall Mount 15 Cd Horn/Strobe White w/No Lettering
20-123-30WR	904-1129-002	Wall Mount 30 Cd Horn/Strobe Red w/White Lettering
20-123-30WW	904-1149-002	Wall Mount 30 Cd Horn/Strobe White w/Red Lettering
20-123-31	904-1130-002	Wall Mount 30 Cd Horn/Strobe Red w/No Lettering
20-123-32	904-1150-002	Wall Mount 30 Cd Horn/Strobe White w/No Lettering
20-123-60WR	904-1133-002	Wall Mount 60 Cd Horn/Strobe Red w/White Lettering
20-123-33	904-1153-002	Wall Mount 60 Cd Horn/Strobe White w/Red Lettering
20-123-34	904-1134-002	Wall Mount 60 Cd Horn/Strobe Red w/No Lettering
20-123-35	904-1154-002	Wall Mount 60Cd Horn/Strobe White w/No Lettering
20-123-75WR	904-1135-002	Wall Mount 75 Cd Horn/Strobe Red w/White Lettering
20-123-75WW	904-1155-002	Wall Mount 75 Cd Horn/Strobe White w/Red Lettering
20-123-36	904-1136-002	Wall Mount 75 Cd Horn/Strobe Red w/No Lettering
20-123-37	904-1156-002	Wall Mount 75 Cd Horn/Strobe White w/No Lettering
20-123-110WR	904-1139-002	Wall Mount 110 Cd Horn Strobe Red w/White Lettering
20-20-123-110WW	904-1159-002	Wall Mount 110 Cd Horn/Strobe White w/Red Lettering
20-123-38	904-1140-002	Wall Mount 110 Cd Horn/Strobe Red w/No Lettering
20-123-39	904-1160-002	Wall Mount 110 Cd Horn/Strobe White w/No Lettering
20-123-15-75-WR	904-1127-002	Wall Mount 15/75 Cd Horn Strobe Red w/White Lettering
20-123-15-75WW	904-1147-002	Wall Mount 15/75 Cd Horn/Strobe White w/Red Lettering
20-123-40	904-1128-002	Wall Mount 15/75 Cd Horn/Strobe Red w/No Lettering
20-123-41	904-1148-002	Wall Mount 15/75 Cd Horn/Strobe White w/No Lettering
20-123-42	904-1143-002	Wall Mount 177 Cd Horn Strobe Red w/White Lettering
20-123-43	904-1163-002	Wall Mount 177 Cd Horn/Strobe White w/Red Lettering
20-123-44	904-1144-002	Wall Mount 177 Cd Horn/Strobe Red w/No Lettering
20-123-45	904-1164-002	Wall Mount 177 Cd Horn/Strobe White w/No Lettering

Weather Resistant

20-123-06	904-1217-002	Weatherproof Wall Mount Horn/Strobe 75 Cd Red w/White Lettering
20-123-07	904-1218-002	Weatherproof Wall Mount Horn/Strobe 75 Cd White w/Red Lettering

Commander 3, GES3 Selectable Candela Strobes

20-123-01	904-1321-002	Wall Mount Selectable Strobe Red w/White Lettering
20-123-02	904-1319-002	Wall Mount Selectable Strobe White w/Red Lettering
20-123-46	904-1322-002	Wall Mount Selectable Strobe Red w/No Lettering
20-123-47	904-1320-002	Wall Mount Selectable Strobe White w/No Lettering

Commander 3, GEC3 Selectable Candela Horn/Strobes

20-123-48	904-1317-002	Wall Mount Selectable Horn/Strobe Red w/White Lettering
20-123-49	904-1315-002	Wall Mount Selectable Horn/Strobe White w/Red Lettering
20-123-50	904-1318-002	Wall Mount Selectable Horn/Strobe Red w/No Lettering
20-123-51	904-1316-002	Wall Mount Selectable Horn/Strobe White w/No Lettering

Fike P/N	MFG P/N	Description
----------	---------	-------------

Commander HS Series Wall Mount Horn/Strobe

20-123-84	904-993-2	Wall Mount Horn/Strobe 15Cd Red/Wht Lettering
20-123-85	904-1013-2	Wall Mount Horn/Strobe 15Cd Wht/Red Lettering
20-123-86	904-994-2	Wall Mount Horn/Strobe 15Cd Red w/no Lettering
20-123-87	904-1014-2	Wall Mount Horn/Strobe 15Cd Wht w/no Lettering
20-123-88	904-997-2	Wall Mount Horn/Strobe 30Cd Red/Wht Lettering
20-123-89	904-1017-2	Wall Mount Horn/Strobe 30Cd Wht/Red Lettering
20-123-90	904-998-2	Wall Mount Horn/Strobe 30Cd Red w/no Lettering
20-123-91	904-1018-2	Wall Mount Horn/Strobe 30Cd Wht w/no Lettering
20-123-92	904-1001-2	Wall Mount Horn/Strobe 60Cd Red/Wht Lettering
20-123-93	904-1021-2	Wall Mount Horn/Strobe 60Cd Wht/Red Lettering
20-123-94	904-1002-2	Wall Mount Horn/Strobe 60Cd Red w/no Lettering
20-123-95	904-1022-2	Wall Mount Horn/Strobe 60Cd Wht w/no Lettering
20-123-96	904-1003-2	Wall Mount Horn/Strobe 75Cd Red/Wht Lettering
20-123-97	904-1023-2	Wall Mount Horn/Strobe 75Cd Wht/Red Lettering
20-123-98	904-1004-2	Wall Mount Horn/Strobe 75Cd Red w/no Lettering
20-123-99	904-1024-2	Wall Mount Horn/Strobe 75Cd Wht w/no Lettering
20-123-100	904-1007-2	Wall Mount Horn/Strobe 110Cd Red/Wht Lettering
20-123-101	904-1027-2	Wall Mount Horn/Strobe 110Cd Wht/Red Lettering
20-123-102	904-1008-2	Wall Mount Horn/Strobe 110Cd Red w/no Lettering
20-123-103	904-1028-2	Wall Mount Horn/Strobe 110Cd Wht w/no Lettering
20-123-104	904-995-2	Wall Mount Horn/Strobe 15/75Cd Red/Wht Lettering
20-123-105	904-1015-2	Wall Mount Horn/Strobe 15/75Cd Wht/Red Lettering
20-123-106	904-996-2	Wall Mount Horn/Strobe 15/75Cd Red w/no Lettering
20-123-107	904-1016-2	Wall Mount Horn/Strobe 15/75Cd Wht w/no Lettering

GX 91 AND GX93 Series Mini Horn (NON-SYNC)

20-123-GX91R	904-1274-2	Red Mini Horn, Continuous Sound
20-123-GX91W	904-1275-2	White Mini Horn, Continuous Sound
20-123-GX93R	904-1276-2	Red Mini Horn, Temporal/Continuous Sound
20-123-GX93W	904-1277-2	White Mini Horn, Temporal/Continuous Sound

Fike P/N	MFG P/N	Description
----------	---------	-------------

Outdoor Enclosure

20-123-08	901-229	Red Outdoor Enclosure & Back Box
20-123-09	901-230	Wht Outdoor Enclosure & Back Box

Accessories

20-123-AVS	904-1255-2	Gangable Synchronization Module
20-123-GSB-R	901-173	Red Surface Back Box for Commander 1 & 2
20-123-124	901-187	Wht Surface Back Box for Commander 1 & 2
20-123-125	901-242	Red Weather Proof Surface Back Box for GB Series
20-123-126	901-234	Red GX91/93 Bracket, 4" Trim Plate & Bracket
20-123-127	901-235	Wht GX91/93 Bracket, 4" Trim Plate & Bracket
20-123-128	345-279	Red "AGENT" Bezel (GE Series)
20-123-129	345-280	Wht "AGENT" Bezel (GE Series)

Commander 4, GCS Ceiling Mount Selectable Cd Strobes (15, 30, 75, 95, & 115 Cd)

20-123-52	904-1213-002	Ceiling Mount Selectable Strobe Red w/ White Lettering
20-123-53	904-1215-002	Ceiling Mount Selectable Strobe White w/Red Lettering
20-123-54	904-1214-002	Ceiling Mount Selectable Strobe Red w/No Lettering
20-123-55	904-1216-002	Ceiling Mount Selectable Strobe White w/No Lettering

Commander 4, GCC Selectable Ceiling Mount Candela Horn/Strobes (15, 30, 75, 95, & 115 Cd)

20-123-56	904-1209-002	Ceiling Mount Selectable Horn/Strobe Red w/ White Lettering
20-123-57	904-1211-002	Ceiling Mount Selectable Horn/Strobe White w/Red Lettering
20-123-58	904-1210-002	Ceiling Mount Selectable Horn/Strobe Red w/No Lettering
20-123-59	904-1212-002	Ceiling Mount Selectable Hron/Strobe White w/No Lettering

Commander ST Series Wall Mount Strobe

20-123-60	904-1033-2	Wall Mount 15 Cd Strobe Red w/White Lettering
20-123-61	904-1053-2	Wall Mount 15 Cd Strobe White w/Red Lettering
20-123-62	904-1034-2	Wall Mount 15 Cd Strobe Red w/No Lettering
20-123-63	904-1054-2	Wall Mount 15 Cd Strobe White w/No Lettering
20-123-64	904-1037-2	Wall Mount 30 Cd Strobe Red w/White Lettering
20-123-65	904-1057-2	Wall Mount 30 Cd Strobe White w/Red Lettering
20-123-66	904-1038-2	Wall Mount 30 Cd Strobe Red w/No Lettering
20-123-67	904-1058-2	Wall Mount 30 Cd Strobe White w/No Lettering
20-123-68	904-1041-2	Wall Mount 60 Cd Strobe Red w/White Lettering
20-123-69	904-1061-2	Wall Mount 60 Cd Strobe White w/Red Lettering
20-123-70	904-1042-2	Wall Mount 60 Cd Strobe Red w/No Lettering
20-123-71	904-1062-2	Wall Mount 60 Cd Strobe White w/No Lettering
20-123-72	904-1043-2	Wall Mount 75 Cd Strobe Red w/White Lettering
20-123-73	904-1063-2	Wall Mount 75 Cd Strobe White w/Red Lettering
20-123-74	904-1044-2	Wall Mount 75 Cd Strobe Red w/No Lettering
20-123-75	904-1064-2	Wall Mount 75 Cd Strobe White w/No Lettering
20-123-76	904-1047-2	Wall Mount 110 Cd Strobe Red w/White Lettering
20-123-77	904-1067-2	Wall Mount 110 Cd Strobe White w/Red Lettering
20-123-78	904-1048-2	Wall Mount 110 Cd Strobe Red w/No Lettering
20-123-79	904-1068-2	Wall Mount 110 Cd Strobe White w/No Lettering
20-123-80	904-1035-2	Wall Mount 15/75 Cd Strobe Red w/White Lettering
20-123-81	904-1055-2	Wall Mount 15/75 Cd Strobe White w/Red Lettering
20-123-82	904-1036-2	Wall Mount 15/75 Cd Strobe Red w/No Lettering
20-123-83	904-1056-2	Wall Mount 15/75 Cd Strobe White w/No Lettering

1.3 SYSTEM SENSOR NOTIFICATION APPLIANCES

All System Sensor Strobes noted are Syncable using the System Sensor Sync module. Many of Fike control panel notification appliance circuits allow a modulated (pulsed) output. All System Sensor 24VDC horns noted below will work with Fike’s Modulated (pulsing voltage) outputs. The modulation is intended for a horn circuit only (see below for which devices allow modulation). Strobe circuits require continuous power. Never supply a strobe circuit with a modulated output.

Fike P/N	MFG P/N	Description
----------	---------	-------------

SpectrAlert Ceiling Mount Horn/Strobes

20-130-64	PC2415	Ceiling Mount 15 Cd Horn/Strobe Red
20-130-65	PC241575	Ceiling Mount 15/75 Cd Horn/Strobe Red
20-130-66	PC241575P	Ceiling Mount 15/75 Cd Horn/Strobe Red, Plain-no label
20-130-67	PC2430	Ceiling Mount 30 Cd Horn/Strobe Red
20-130-68	PC2475	Ceiling Mount 75 Cd Horn/Strobe Red
20-130-69	PC2495	Ceiling Mount 95 Cd Horn/Strobe Red
20-130-70	PC24115	Ceiling Mount 115 Cd Horn/Strobe Red
20-130-71	PC24177	Ceiling Mount 177 Cd Horn/Strobe Red
20-130-72	PC2415W	Ceiling Mount 15 Cd Horn/Strobe White
20-130-73	PC241575W	Ceiling Mount 15/75 Cd Horn/Strobe White
20-130-74	PC241575PW	Ceiling Mount 15/75 Cd Horn/Strobe White, Plain-no label
20-130-75	PC2430W	Ceiling Mount 30 Cd Horn/Strobe White
20-130-76	PC2475W	Ceiling Mount 75 Cd Horn/Strobe White
20-130-77	PC2495W	Ceiling Mount 95 Cd Horn/Strobe White
20-130-78	PC24115W	Ceiling Mount 115 Cd Horn/Strobe White
20-130-79	PC24177W	Ceiling Mount 177 Cd Horn/Strobe White

SpectrAlert Wall Mount Weatherproof Horn/Strobes

20-130-148	P1224MCK	Weatherproof Horn/Strobe Multi-Cd Red
------------	----------	---------------------------------------

SpectrAlert Ceiling Mount Strobes

20-130-98	SC2415	Ceiling Mount Strobe 15 Cd Red
20-130-99	SC241575	Ceiling Mount Strobe 15/75 Cd Red
20-130-100	SC241575P	Ceiling Mount Strobe 15/75 Cd Red, Plain-no label
20-130-101	SC2430	Ceiling Mount Strobe 30 Cd Red
20-130-102	SC2475	Ceiling Mount Strobe 75 Cd Red
20-130-103	SC2495	Ceiling Mount Strobe 95 Cd Red
20-130-104	SC24115	Ceiling Mount Strobe 115 Cd Red
20-130-105	SC24177	Ceiling Mount Strobe 177 Cd Red
20-130-106	SC2415W	Ceiling Mount Strobe 15Cd White
20-130-107	SC241575W	Ceiling Mount Strobe 15/75 Cd White
20-130-108	SC241575PW	Ceiling Mount Strobe 15/75 Cd White
20-130-109	SC2430W	Ceiling Mount Strobe 30 Cd White
20-130-110	SC2475W	Ceiling Mount Strobe 75 Cd White
20-130-111	SC2495W	Ceiling Mount Strobe 95 Cd White
20-130-112	SC24115W	Ceiling Mount Strobe 115 Cd White
20-130-113	SC24177W	Ceiling Mount Strobe 177 Cd White

Fike P/N	MFG P/N	Description
----------	---------	-------------

SpectrAlert Wall Mount Weatherproof Strobes

20-130-147	S1224MCK	120 VAC Wall Mount Weatherproof Strobe Multi-Cd
------------	----------	---

SpectrAlert Dual Strobes

20-130-115	DS2475WAR	Dual Strobe Amber/Red Lens 75 Cd
------------	-----------	----------------------------------

SpectrAlert Wall Mount Horns

20-130-116	H12/24	Wall Mount Horn Red
20-130-117	H12/24K	Weatherproof Wall Mount Horn Red
20-130-118	H12/24W	Wall Mount Horn White

SpectrAlert Electronic Chime/Sounder

20-130-119	CH12/24	Electronic Chime/Sounder Red
20-130-120	CH12/24W	Electronic Chime/Sounder Wht

SpectrAlert Chime/Strobe

20-130-121	CH2415	Chime/Strobe 15 Cd Red
20-130-122	CH241575	Chime/Strobe 15/75 Cd Red
20-130-123	CH2475	Chime/Strobe 75 Cd Red
20-130-124	CH24110	Chime/Strobe 110 Cd Red
20-130-125	CH2415W	Chime/Strobe 15 Cd White
20-130-126	CH241575W	Chime/Strobe 15/75 Cd White
20-130-127	CH2475W	Chime/Strobe 75 Cd White
20-130-128	CH24110W	Chime/Strobe 110 Cd White

SpectrAlert Accessories

20-130-30	BBS	Surface Mount Back Box Skirt-Wall Mount Red
20-130-35	BBSC	Surface Mount Back Box Skirt-Ceiling Mount Red
20-130-129	BBS-CHSR	Chime/Strobe Back Box Skirt Red
20-130-37	BBS-SP2R	Back Box Skirt Wall Speaker/Strobe Red
20-130-130	BBS-SP201R	Back Box Skirt Ceiling Mount Red
20-130-32	D-MP	Universal Mounting Plate Red
20-130-26	MDL	Sync Circuit Module Red
20-130-28	S-MP	Small Footprint Mounting Plate for Single Gang Red
20-130-31	BBSW	Surface Mount Back Box Skirt-Wall Mount Wht
20-130-36	BBSCW	Surface Mount Back Box Skirt-Ceiling Mount Wht
20-130-138	BBS-CHSW	Chime/Strobe Back Box Skirt Wht
20-130-38	BBS-SP2W	Back Box Skirt Wall Speaker/Strobe Wht
20-130-131	BBS-SP201W	Back Box Skirt Ceiling Mount Wht
20-130-33	D-MPW	Universal Mounting Plate Wht
20-130-27	MDLW	Sync Circuit Module Wht
20-130-29	S-MPW	Small Footprint Mounting Plate for Single Gang Wht

SpectrAlert Selectable Output Products

20-130-140	P1224MC	Red Selectable Output Horn/Strobe
20-130-141	P1224MCW	Wht Selectable Output Horn/Strobe
20-130-142	S1224MC	Red Selectable Output Strobe
20-130-143	S1224MCW	Wht Selectable Output Strobe
20-130-144	SP2R1224MC	Red Wall-Mount Speaker/Strobe w/Selectable Output
20-130-145	SP2R1224MCW	Wht Wall-Mount Speaker/Strobe w/Selectable Output

2.0 RELEASING DEVICES

FIKE Compatible Releasing Devices

Automatic Water Control Valves (all Fike Control Panels)

Factory Mutual Approved Solenoid Release Valves Group A, B, C, D, E, F and G

Clean Agent Extinguishing (IntellaScan, Rhino, SHP, SHP Pro and Cheetah Control Panels)

Fike 10-1832 Agent Release Module (ARM III)

Carbon Dioxide Releasing (IntellaScan, Rhino, SHP, SHP Pro and Cheetah Control Panels)

Fike C02-1263 (Skinner X5H65100) 24VDC

Fike C02-1254 (Honeywell X5H65100) 12VDC - uses 2 valves in series on a single Solenoid circuit

Watermist Releasing (SHP Pro and Cheetah Panels)

Fike C02-1254 (Honeywell X5H65100) 12VDC - uses 2 valves in series on a single Solenoid circuit



704 South 10th Street
P.O. Box 610
Blue Springs, Missouri 64013 U.S.A.
(816) 229-3405
Fax: (816) 229-5082
<http://www.fike.com>